Trade name: TaegaSeal PFTE Thread Seal Tape, Natural

Product No: 121 Thread Seal Tape

Revision Date: 7/29/2015

Version: 2.4 Page 1 of 10 Print date: 7/29/2015

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier: 121 Thread Seal Tape, Natural

1.1.1 Substances

Substance name: Polytetrafluoroethylene resin (PTFE)

CAS #: 9002-84-0 Weight 100%

Mixtures n/a

Trade name / designation: Thread Seal Tape

- 1.1.2 Other means of identification: None
- 1.2. Relevant identified uses of the substance or mixture and uses advised against n/a
- 1.2.1 Relevant identified uses: tape
- 1.2.2 Uses advised against:

Material is nontoxic, insoluble, chemically inert, and non-biodegradable. Solid material will not support combustion, but if other fuel is present, decomposition products will react at about 1275° F producing potentially toxic gaseous products.

1.3 Details of the supplier of the safety data sheet:

Supplier: Taega Technologies Inc

1016 E Springfield Rd High Point, NC 27263

FOR MORE INFORMATION: Product Safety Department: 336-905-7133

(8 AM to 5 PM, Eastern Time)

Importer / Only Representative: N/A

Trade name: TaegaSeal PTFE Thread Seal Tape, Natural

Product No: 121 Thread Seal Tape

Revision Date: 7/29/2015

Version: 2.4 Page 2 of 10 Print date: 7/29/2015

1.4 EMERGENCY TELEPHONE NUMBER: 336-905-7133

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture: article

2.2 Label elements

Hazard pictograms None

Signal word: None

Hazard statements: None

Precautionary statements: None

Supplemental Hazard information: None

Special rules for supplemental label elements for certain mixtures:

Additional labelling: None

2.3 Other hazards None

SECTION 3. Composition/information on ingredients

3.1 ALTERNATIVE for mixtures

3.1 Mixtures

3.1.1 Description of the mixture:

N/A

3.1.2 Hazardous ingredients n/a

Trade name: TaegaSeal PTFE Thread Seal Tape, Natural

Product No: 121 Thread Seal Tape

Version: 2.4 Page 3 of 10 Revision Date: 7/29/2015

Revision Date: 7/29/2015

Print date: 7/29/2015

3.1.3 Additional information:

SECTION 4: First aid measures

- 4.1 Description of first aid measures
- 4.1.1 General informations: N/A
- 4.1.1 Following inhalation: Use appropriate NIOSH-approved respirator in presence of decomposition fumes.
- 4.1.4 Following skin contact: N/A
- 4.1.2 Following eye contact: Use of safety glasses is recommended.
- 4.1.5 Following ingestion: Not a likely route of entry
- 4.1.6 Self-protection of the first aider: na for material as supplied, at room temperature

Processing at high temperature may generate fumes which can cause flu-like symptoms (polymer fume fever). Remove to fresh air, consult physician if severe.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms: None known

Trade name: TaegaSeal PTFE Thread Seal Tape, Natural								
Produ	ct No: 121 Thread Seal	Таре	Pavisian Data: 7/20/2015					
Version: 2.4		Page 4 of 10	Revision Date: 7/29/2015 Print date: 7/29/2015					
	Effects:							
4.3	Indication of any immed	diate medical attention and	special treatment needed					
	Notes for the doctor:	N/A						
	Special treatment:							
SECTI	ON 5: Firefighting meas	sures						
5.1	I POINT:	na						
AUTO	IGNITION	na na						
FLAM	ERATURE: MABLE LIMITS IN AIR (%	na, solid material						
BY VOL.): UNUSUAL FIRE HAZARDS:		Material is incombustible, but if other fuel is present, decomposition products will burn at about 1275 F, producing toxic and corrosive gaseous products.						
5.4 Additional information: None								
SECTI	ION 6: Accidental releas	se measures						
6.1	6.1 None—solid material / article							
6.1	.1 Environmental precautions: These materials are chemically unreactive, non-toxic, non-water soluble, and non-biodegradeable. They are completely recyclable.							

SECTION 7: Handling and storage

7.1 Store and handle using good warehouse practices. Avoid excessive temperatures and high humidity.

Trade name: TaegaSeal PTFE Thread Seal Tape, Natural

Product No: 121 Thread Seal Tape

Revision Date: 7/29/2015

Version: 2.4 Page 5 of 10 Print date: 7/29/2015

7.1.1 Protective measures: N/A

7.1.2 Advice on general occupational hygiene

7.2 Conditions for safe storage, including any incompatibilities

Store and handle using good warehouse practices. Avoid excessive temperatures and high humidity.

Further information on storage conditions:

7.3 Specific end uses:

Thread seal tape

SECTION 8: Exposure controls/personal protection

Preventive industrial medical examinations are to be carried out.

8.1 Control parameters

8.1.1 Occupational exposure limits:

ENGINEERING CONTROLS: na PERSONAL PROTECTIVE EQUIPMENT:

RESPIRATORY Use appropriate NIOSH-approved respirator in

PROTECTION: presence of decomposition fumes.

EYES AND FACE: Use of safety glasses is recommended.

HANDS, ARMS, AND na

BODY:

OTHER CLOTHING na

AND EQUIPMENT:

EXPOSURE GUIDELINES: (Guidelines exist for the following ingredients)

Ingredient Name ACGIH TLV OSHA PEL

Other Limit

na na na na

Trade name: TaegaSeal PTFE Thread Seal Tape, Natural

Product No: 121 Thread Seal Tape

Version: 2.4 Page 6 of 10 Revision Date: 7/29/2015

Revision Date: 7/29/2015

Print date: 7/29/2015

Other exposure limits for the decomposition products normally associated with product use are as follows: na

- 8.1.2 Exposure limits at intended use: n/a
- 8.2 Exposure controls n/a
- 8.2.1 Appropriate engineering controls: n/a
- 8.2.2 Personal protective equipment:
- 8.2.2.1 Eye / Face protection:

<u>Suitable eye protection</u> n/a <u>Other eye protection measures</u> n/a

8.2.2.2 Skin protection:

Hand protection:

<u>Body protection:</u>
Other skin protection measures:

- 8.2.2.3 Respiratory protection:
- 8.2.2.4 Thermal hazards n/a
- 8.2.3 Environmental exposure controls: N/A
- 8.2.4 Consumer exposure control N/A

Trade name: TaegaSeal PTFE Thread Seal Tape, Natural

Product No: 121 Thread Seal Tape

Revision Date: 7/29/2015 Version: 2.4 Page 7 of 10 Print date: 7/29/2015

	value	concentration	method	temp	pressure	remark
pН	n/a					
Melting point/freezing point				342 C		
Initial boiling point/boiling range	n/a					
Flash point	n/a					
Evaporation rate	n/a					
Flammability (solid, gas)	n/a					
Upper/lower flammability or	n/a					
explosive limits						
Upper explosive limits	n/a					
Lower explosive limits	n/a					
Vapour pressure	n/a					
Vapour density	n/a					
Relative density	n/a					
Solubility(ies)	insoluble					
Partition coefficient:	n/a					
n-octanol/water						
Auto-ignition temperature	n/a					
Decomposition temperature	n/a					
Viscosity	n/a					
Viscosity, dynamic						
Viscosity, cinematic						
Explosive properties	n/a					
Oxidising properties	n/a					

SECTION 9. Physical and chemical properties

^						1 1			
u	I Int	tormatio	n an I	12616	nhvei	ดวไวทด	l chami	COLNY	MARTIAC
J.,		VII III ALIV		าสราน	1) I I V 5 I	Cai anc		uai mu	JUCI HES

9.1.1 Appearance

Odour thres	shold:			

Physical state: Colour: red, orange, yellow, green Odor: none

9.2 Other information:

Physical hazards: None

Trade name: TaegaSeal PTFE Thread Seal Tape, Natural

Product No: 121 Thread Seal Tape

Revision Date: 7/29/2015

Version: 2.4 Page 8 of 10 Print date: 7/29/2015

SECTION 10: Stability and reactivity

10.1 Reactivity: n/a

10.2 Chemical stability Stable

10.3 Possibility of hazardous reactions

10.4 Conditions to avoid: n/a

10.5 Incompatible materials: strong oxidizers, acids, bases

10.6 Hazardous decomposition products: Thermal decomposition may produce

toxic and corrosive gaseous products.

SECTION 11: Toxicological information

Toxicokinetics, metabolism and distribution

11.1 Information on toxicological effects

These materials are chemically unreactive, non-toxic, non-water soluble, and non-biodegradeable. They are completely recyclable.

CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)

Ingredients found on one of the OSHA designated carcinogen lists are listed below.

INGREDIENT NAME OSHA STANDARD

na na na

NTP STATUS

IARC STATUS

Trade name: TaegaSeal PTFE Thread Seal Tape, Natural

Product No: 121 Thread Seal Tape

Revision Date: 7/29/2015

Version: 2.4 Page 9 of 10 Print date: 7/29/2015

Carcinogenicity

Practical experience / human evidence:

Ingredients found on one of the OSHA designated carcinogen lists are listed below.

INGREDIENT NAME NTP STATUS IARC STATUS OSHA

STANDARD

na na na na

Specific target organ toxicity (single exposure) SECTION 13: Disposal considerations

13.1 Waste treatment methods

Recycle, or dispose in an approved landfill or by incineration, in compliance with federal, state, and local regulation.

SECTION 14: Transport information

US DOT HAZARD na

CLASS:

US DOT ID NUMBER: nd

SECTION 15: Regulatory information

15.1 None

15.1.2 National regulations

15.2 Chemical Safety Assessment:

For this substance a chemical safety assessment is not required.

Trade name: TaegaSeal PTFE Thread Seal Tape, Natural

Product No: 121 Thread Seal Tape

Revision Date: 7/29/2015

Version: 2.4 Page 10 of 10 Print date: 7/29/2015

SECTION_16

16.1 Other Information

This document is based on technical information provided by our suppliers.